

## **Exercise Sheet 01** (Color-based Retrieval)

**Please note:** The exercises will be neither collected, nor corrected, or graded.

### **Exercise I**

In the lecture, you have learned about different distance measures for histograms. The purpose of this exercise is to apply them programmatically on a collection of sample images. At the following URL (<http://r0k.us/graphics/kodak/>) you will find a collection of Kodak Lossless True Color 24 photographs. Please consider only the first 10 for this exercise.

Please write a program that performs the following steps:

- a) Create a representation of the photos in the HSV color model. Quantize the images in HSV coordinates as presented in the lecture-slide 53 (using 18 segments for hue, 3 for saturation and 3 for value). Leave out the additional 4 gray segments, so that you obtain a 162 segment for each image (a 162 column histogram per image). Provide the graphical representation of the resulting histograms for images 2 and 9 as a result.
- b) Calculate the distance between histograms with the following measures:  $L_1$ -norm and  $L_2$ -norm. Which images are most similar to picture 9 with respect to the 2 measures?

**Note:** I strongly recommend using Matlab for solving not only this, but also the exercises to follow. It is freely available for our students through the Rechenzentrum licensing system (<https://www.tu-braunschweig.de/it/service-interaktiv/software/liste#M>).

**Hints:** Helpful Matlab functions for this task are: **imread**, **rgb2hsv**, **gray2ind**, **imhist**.

**Idea:** After you have read the images and transformed them into HSV color space, extract each component from the HSV matrix (H, S, and V, respectively) and perform the quantization using the **gray2ind** function. After you have obtained quantized components, you need to assemble them into a histogram containing  $18 \cdot 3 \cdot 3$  columns per image!